



Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.01.2019

Revision: 03.01.2019

SECTIO	N 1: Identification of the substance/mixture and of the company/undertaking
1.1 Produ	et identifier
Trade nan	ne: Nirotech White Base Part A
Article nu	nber: TC-61700******
	ode: 61700******
	nt identified uses of the substance or mixture and uses advised against
	relevant information available. n of the substance / the mixture Paint / Coating
	t of the supplier of the safety data sheet
Manufact	urer/Supplier:
,	h-Coat brand
KIDDUIZ NI ISRAEL	r-Oz 8512200
	formation obtainable from: Product safety department
	ency telephone number: During normal opening times: +972 8 9986330
SECTIO	N 2: Hazards identification
SECHO	
•	ication of the substance or mixture
Classificat	ion according to Regulation (EC) No 1272/2008
ste	GHS02 flame
	011502 June
Flam Lia	3 H226 Flammable liquid and vapour.
· · · · · ·	
	GHS08 health hazard
	UIISUS neutin nazara
STOT RE	2 H373 May cause damage to organs through prolonged or repeated exposure.
	GHS07
$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$	GH30/
Skin Irrit	2 H315 Causes skin irritation.
Eye Irrit. 2	
STOT SE 3	
	· · · · · · · · · · · · · · · · · · ·
2.2 Label Labelling	according to Regulation (EC) No 1272/2008
	ct is classified and labelled according to the CLP regulation.
Hazard pi	stograms
	\land
<u> < (%)</u>	$\langle ! \rangle \langle ! \rangle$
$\mathbf{\nabla}$	
GHS02	GHS07 GHS08
Signal way	r d Warning





Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.01.2019

Revision: 03.01.2019

Trade name: Nirotech White Base Part A (Contd. of page 1) · Hazard-determining components of labelling: n-butyl acetate xylene · Hazard statements H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure. · Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P241 Use explosion-proof electrical/ventilating/lighting equipment. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 123-86-4 EINECS: 204-658-1 Index number: 607-025-00-1	n-butyl acetate	>10- <i>≤</i> 25%
CAS: 1330-20-7 EINECS: 215-535-7	xylene Flam. Liq. 3, H226; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335; Aquatic Chronic 3, H412	>10-<25%
CAS: 123-42-2 EINECS: 204-626-7 Index number: 603-016-00-1	diacetone alcohol 🚸 Flam. Liq. 3, H226; ᡧ Eye Irrit. 2, H319	≥0.1-≤2.5%
• Additional information: For	the wording of the listed hazard phrases refer to section 16.	FIL

(Contd. on page 3)





Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.01.2019

Revision: 03.01.2019

Trade name: Nirotech White Base Part A

(Contd. of page 2)

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- \cdot 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions:
- Do not allow to enter sewers/ surface or ground water. Prevent seepage into sewage system, workpits and cellars.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Do not eat, drink or smoke while working. Refer to section 8 concerning personal percaution.

(Contd. on page 4)

EU -





Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.01.2019

Revision: 03.01.2019

(Contd. of page 3)

Trade name: Nirotech White Base Part A

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

123-86-4 n-butyl acetate

TLV Short-term value: 6 mg/m³

123-42-2 diacetone alcohol

TLV Short-term value: 6 mg/m³

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- \cdot General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.





Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.01.2019

Revision: 03.01.2019

Trade name: Nirotech White Base Part A

· Penetration time of glove material

(Contd. of page 4)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

Form:LiquidColour:Various coloursOdour threshold:Not deternined.PH-value:Not determined.pH-value:Not determined.Change in conditionUndetermined.Melting point/freezing point:Undetermined.Initial boiling point and boiling range:124 °CFlash point:23 °CFlash point:370 °CDecomposition temperature:Not determined.Auto-ignition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product is not explosive. However, formation of explosive air vapour mixtures are possible.Explosino limits: Lower:0.9 Vol % Upper:Vapour pressure at 20 °C:10.7 hPaDensity at 20 °C:1.2851 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with water:Not miscible or difficult to mix.Partition coefficient: n-octanol/water:Not determined.Solubility in / Miscibility with water:Not determined.	General Information	
Colour:Various coloursOdour threshold:Various coloursOdour threshold:Not determined.PH-value:Not determined.PH-value:Not determined.Change in conditionUndetermined.Metting point/freezing point:Undetermined.Initial boiling point and boiling range:124 °CFlash point:23 °CFlammability (solid, gas):Not applicable.Ignition temperature:370 °CDecomposition temperature:Product is not selfigniting.Explosion limits:Product is not selfigniting.Lower:0.9 Vol %Upper:7.5 Vol %Vapour pressure at 20 °C:1.2851 g/cm³Relative densityNot determined.Solubility in / Miscibility with water:Not determined.Solubility in / Miscibility with water:Not determined.Partition coefficient: n-octanol/wate:Not determined.Viscosity:Not determined.	Appearance:	7 . 1
Odour:CharacteristicOdour threshold:Not determined.PH-value:Not determined.Change in condition Melting point/freezing point:Undetermined.Initial boiling point and boiling range:124 °CFlash point:23 °CFlammability (solid, gas):Not applicable.Ignition temperature:370 °CDecomposition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product is not explosive. However, formation of explosive air vapour mixtures are possible.Explosion limits: Lower:0.9 Vol % T.5 Vol %Vapour pressure at 20 °C:10.7 hPaDensity at 20 °C:1.2851 g/cm³Relative densityNot determined.Vapour pressure at 20 °C:1.2851 g/cm³Solubility in / Miscibility with water:Not miscible or difficult to mix.Partition coefficient: n-octanol/water:Not determined.Viscosity:Not determined.		
Odour threshold:Not determined.pH-value:Not determined.Change in condition Melting point freezing point:Undetermined.Initial boiling point and boiling range:124 °CFlash point:23 °CFlammability (solid, gas):Not applicable.Ignition temperature:370 °CDecomposition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product is not selfigniting.Explosion limits: Lower:0.9 Vol % 7.5 Vol %Vapour pressure at 20 °C:10.7 hPaDensity at 20 °C:1.2851 g/cm³Relative density Vapour densityNot determined.Solubility in / Miscibility with water:Not miscible or difficult to mix.Partition coefficient: n-octanol/water:Not determined.Viscosity:Not determined.		
pH-value: Not determined. • Change in condition Melting point/freezing point: Undetermined. Initial boiling point and boiling range: 124 °C • Flash point: 23 °C • Flammability (solid, gas): Not applicable. • Ignition temperature: 370 °C • Decomposition temperature: Not determined. • Auto-ignition temperature: Product is not selfigniting. • Explosive properties: Product is not explosive. However, formation of explosive air vapour mixtures are possible. • Explosion limits: 0.9 Vol % Lower: 0.9 Vol % Upper: 7.5 Vol % • Vapour pressure at 20 °C: 10.7 hPa • Density at 20 °C: 1.2851 g/cm³ • Relative density Not determined. • Vapour density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with water: Not miscible or difficult to mix. • Partition coefficient: n-octanol/water: Not determined. • Viscosity: Not determined.		
Change in condition Melting point/freezing point: Undetermined. Initial boiling point and boiling range: 124 °C Flash point: 23 °C Flammability (solid, gas): Not applicable. Ignition temperature: 370 °C Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product is not explosive. However, formation of explosive air vapour mixtures are possible. Explosion limits: Lower: Lower: 0.9 Vol % Upper: 7.5 Vol % Vapour pressure at 20 °C: 10.7 hPa Density at 20 °C: 1.2851 g/cm³ Relative density Not determined. Vapour density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient: n-octanol/water: Not determined. Viscosity: Not determined.	· Oaour threshola:	Not determined.
Melting point/freezing point:Undetermined. 124 °CInitial boiling point and boiling range:124 °CFlash point:23 °CFlammability (solid, gas):Not applicable.Ignition temperature:370 °CDecomposition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product is not explosive. However, formation of explosive air vapour mixtures are possible.Explosion limits: Lower:0.9 Vol % 0.9 Vol %Upper:7.5 Vol %Vapour pressure at 20 °C:10.7 hPaDensity at 20 °C:1.2851 g/cm³Relative densityNot determined.Vapour densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with water:Not miscible or difficult to mix.Partition coefficient: n-octanol/water:Not determined.Viscosity:Viscosity:	pH-value:	Not determined.
Initial boiling range: 124 °CFlash point:23 °CFlammability (solid, gas):Not applicable.Ignition temperature:370 °CDecomposition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product is not explosive. However, formation of explosive air vapour mixtures are possible.Explosion limits: Lower:0.9 Vol % 0.9 Vol %Vapour pressure at 20 °C:10.7 hPaDensity at 20 °C:1.2851 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with water:Not miscible or difficult to mix.Partition coefficient: n-octanol/water:Not determined.Viscosity:Viscosity:		
Flash point: 23 °C Flammability (solid, gas): Not applicable. Ignition temperature: 370 °C Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product is not explosive. However, formation of explosive air vapour mixtures are possible. Explosion limits: 0.9 Vol % Lower: 0.9 Vol % Upper: 7.5 Vol % Vapour pressure at 20 °C: 10.7 hPa Density at 20 °C: 1.2851 g/cm³ Relative density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient: n-octanol/water: Not determined. Viscosity: Viscosity:		
Flammability (solid, gas): Not applicable. Ignition temperature: 370 °C Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product is not explosive. However, formation of explosive air vapour mixtures are possible. Explosion limits: 0.9 Vol % Lower: 0.9 Vol % Upper: 7.5 Vol % Vapour pressure at 20 °C: 10.7 hPa Density at 20 °C: 1.2851 g/cm³ Relative density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient: n-octanol/water: Not determined. Viscosity: Viscosity:	Initial boiling point and boiling range	: 124 °C
Ignition temperature: 370 °C Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product is not explosive. However, formation of explosive air vapour mixtures are possible. Explosion limits: 0.9 Vol % Lower: 0.9 Vol % Upper: 7.5 Vol % Vapour pressure at 20 °C: 10.7 hPa Density at 20 °C: 1.2851 g/cm ³ Relative density Not determined. Vapour density Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient: n-octanol/water: Not determined.	Flash point:	23 °C
• Decomposition temperature: Not determined. • Auto-ignition temperature: Product is not selfigniting. • Explosive properties: Product is not explosive. However, formation of explosive air vapour mixtures are possible. • Explosion limits: 0.9 Vol % Lower: 0.9 Vol % Upper: 7.5 Vol % • Vapour pressure at 20 °C: 10.7 hPa • Density at 20 °C: 1.2851 g/cm ³ • Relative density Not determined. • Vapour density Not determined. • Solubility in / Miscibility with water: Not miscible or difficult to mix. • Partition coefficient: n-octanol/water: Not determined.	Flammability (solid, gas):	Not applicable.
Auto-ignition temperature: Product is not selfigniting. • Auto-ignition temperature: Product is not explosive. However, formation of explosive air vapour mixtures are possible. • Explosion limits: 0.9 Vol % Lower: 0.9 Vol % Upper: 7.5 Vol % • Vapour pressure at 20 °C: 10.7 hPa • Density at 20 °C: 1.2851 g/cm ³ • Relative density Not determined. • Vapour density Not determined. • Solubility in / Miscibility with water: Not miscible or difficult to mix. • Partition coefficient: n-octanol/water: Not determined.	Ignition temperature:	370 °C
• Explosive properties: Product is not explosive. However, formation of explosive air vapour mixtures are possible. • Explosion limits: 0.9 Vol % Lower: 0.9 Vol % Upper: 7.5 Vol % • Vapour pressure at 20 °C: 10.7 hPa • Density at 20 °C: 1.2851 g/cm ³ • Relative density Not determined. • Vapour density Not determined. • Solubility in / Miscibility with water: Not miscible or difficult to mix. • Partition coefficient: n-octanol/water: Not determined.	Decomposition temperature:	Not determined.
• Vapour mixtures are possible. • Explosion limits: Lower: 0.9 Vol % Upper: 7.5 Vol % • Vapour pressure at 20 °C: 10.7 hPa • Density at 20 °C: 1.2851 g/cm ³ • Relative density Not determined. • Vapour density Not determined. • Vaporation rate Not determined. • Solubility in / Miscibility with water: Not miscible or difficult to mix. • Partition coefficient: n-octanol/water: Not determined.	Auto-ignition temperature:	Product is not selfigniting.
Lower:0.9 Vol % 7.5 Vol %Upper:7.5 Vol %· Vapour pressure at 20 °C:10.7 hPa· Density at 20 °C:1.2851 g/cm³· Relative densityNot determined.· Vapour densityNot determined.· Vapour densityNot determined.· Solubility in / Miscibility with water:Not miscible or difficult to mix.· Partition coefficient: n-octanol/water:Not determined.	Explosive properties:	
Upper: 7.5 Vol % · Vapour pressure at 20 °C: 10.7 hPa · Density at 20 °C: 1.2851 g/cm ³ · Relative density Not determined. · Vapour density Not determined. · Vapour density Not determined. · Solubility in / Miscibility with water: Not miscible or difficult to mix. · Partition coefficient: n-octanol/water: Not determined.	Explosion limits:	
• Vapour pressure at 20 °C: 10.7 hPa • Density at 20 °C: 1.2851 g/cm ³ • Relative density Not determined. • Vapour density Not determined. • Vapour density Not determined. • Vapour density Not determined. • Solubility in / Miscibility with water: Not miscible or difficult to mix. • Partition coefficient: n-octanol/water: Not determined.	-	0.9 Vol %
 Density at 20 °C: 1.2851 g/cm³ Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient: n-octanol/water: Not determined. Viscosity: 	Upper:	7.5 Vol %
• Relative density Not determined. • Vapour density Not determined. • Evaporation rate Not determined. • Solubility in / Miscibility with water: Not miscible or difficult to mix. • Partition coefficient: n-octanol/water: Not determined. • Viscosity: Viscosity:	Vapour pressure at 20 °C:	10.7 hPa
· Vapour density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with water: Not miscible or difficult to mix. · Partition coefficient: n-octanol/water: Not determined. · Viscosity: Viscosity:	Density at 20 °C:	1.2851 g/cm ³
• Evaporation rate Not determined. • Solubility in / Miscibility with water: Not miscible or difficult to mix. • Partition coefficient: n-octanol/water: Not determined. • Viscosity: Viscosity:	Relative density	Not determined.
 Solubility in / Miscibility with water: Not miscible or difficult to mix. Partition coefficient: n-octanol/water: Not determined. Viscosity: 	· Vapour density	Not determined.
water: Not miscible or difficult to mix. Partition coefficient: n-octanol/water: Not determined. Viscosity: Not determined.	Evaporation rate	Not determined.
water: Not miscible or difficult to mix. Partition coefficient: n-octanol/water: Not determined. Viscosity: Not determined.	Solubility in / Miscibility with	
· Viscosity:		Not miscible or difficult to mix.
•	Partition coefficient: n-octanol/water:	Not determined.
Dynamic: Not determined.	· Viscosity:	
	Dynamic:	Not determined.

EU





Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.01.2019

Revision: 03.01.2019

Trade name: Nirotech White Base Part A

	(Con	ntd. of page 5
Kinematic at 20 °C:	160 s (ISO 6 mm)	
· Solvent content:		
Organic solvents:	38.1 %	
VOC (EC)	489.4 g/l	
Solids content:	61.9 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure
- May cause damage to organs through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

EU





Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.01.2019

Revision: 03.01.2019

(Contd. of page 6)

Trade name: Nirotech White Base Part A

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number		
ADR, ADN, IMDG	Void	
IATA	UN1263	
14.2 UN proper shipping name		
ADR, ADN, IMDG	Void	
IATA	PAINT	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG		
Class	Void	
IATA		
Class	3 Flammable liquids.	
Label	3	
14.4 Packing group		
ADR, IMDG	Void	
IATA	III	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
Stowage Category	B	





Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.01.2019

Revision: 03.01.2019

Trade name: Nirotech White Base Part A

		(Contd. of page 7)
· 14.7 Transport in bulk according to A Marpol and the IBC Code	nnex II of Not applicable.	
· Transport/Additional information:		
· ADR · Remarks:	> 450 l: 3 F1, III	
· IMDG · Remarks:	> 30 l: 3, III	
· UN ''Model Regulation'':	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure. H412 Harmful to aquatic life with long lasting effects. · Department issuing SDS: Product safety department · Contact: Mr. Ori Raz orir@nirlat.com · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 9)





Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.01.2019 Revision: 03.01.2019 Trade name: Nirotech White Base Part A (Contd. of page 8) GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 EU